



## TECHNICAL DATA SHEET

**Product:** MULTI-PRO INFINITE RUBBER

**Document Code:** MP-TDS-IR

**Revision:** R01

**Issue Date:** 07 December 2025

**Prepared by:** Technical – Nardus Snyman

### SCIENCE AND TECHNOLOGY AT WORK

In an already saturated market, the management of Multi-Pro Distributors expressed the vision to develop a waterproofing product that is distinctly different from those currently available. A partnership was established with a leading German company specialising in chemical research and development for the waterproofing sector. Following extensive research and development, a proprietary binder technology was successfully produced. This binder technology is the proprietary property of MULTI-PRO DISTRIBUTORS (Pty) Ltd and is designated as SS 0-3.

A pilot batch of INFINITE RUBBER was formulated and manufactured. Samples were extracted and subjected to laboratory testing. Comparative testing was conducted against similar waterproofing products from manufacturers claiming superior performance. Based on the results obtained, it is evident that the performance characteristics of INFINITE RUBBER are significantly superior to those of the products tested.

### FEATURES

- Viscous milky white liquid that cures to a transparent film.
- Water based.
- Solvent free.
- Available in 5 and 20 litre containers labelled in Multi-Pro Distributors corporate colours.

### BENEFITS

- Superior mechanical properties.
- Contains no carbonates; mica fillers contribute to durability.
- Excellent adhesion.
- Reduced flammability.
- Mould and mildew resistant.
- Excellent sustainability.
- Low environmental impact due to low VOC content.
- Suitable for waterproofing and paint applications.
- Available in several popular basic roof colours.
- High solid content.
- Ease of application by brush, roller, or airless spray.
- Contains a rust inhibitor; no primer required.
- Cost effective.



## TECHNICAL DATA

Solid Content: 62 – 64%

Specific Gravity: 1.2

Spread Rate: 2.5 – 3 m<sup>2</sup> per litre per coat, depending on surface quality and porosity.

Application Method: Brush, roller, or airless spray.

Solvent: Potable water.

Application Temperature: 15 – 28 °C.

Substrates: Concrete, cement plaster, steel, bricks, wood, and similar surfaces.

Wet Film Thickness (WFT): 1.0 mm.

Dry Film Thickness (DFT): 0.5 mm.

## APPLICATION PROCEDURE

Surface Preparation: All loose rust, flaking paint, and foreign debris must be removed. The surface must be clean and dry.

Application: Apply two coats perpendicular to each other, allowing a minimum of four hours between coats. In severe conditions, and where required, an intermediate membrane may be applied.

## HEALTH, SAFETY & HANDLING

Wear appropriate personal protective equipment during application.

Apply protective barrier cream to exposed skin.

Clean tools immediately after use with potable water.

Prevent material from entering stormwater drains or sewer systems.

Product is not intended for ingestion.

In case of eye contact, rinse thoroughly with clean water.

Avoid inhalation of vapours.

Individual skin sensitivity reactions may occur.

Keep out of reach of children.

## DISCLAIMER

The information contained in this Technical Data Sheet is provided in good faith and is based on laboratory testing and practical experience. It is provided for guidance purposes only. As conditions of application, surface preparation, and use are beyond the control of Multi-Pro Distributors, no warranty, whether express or implied, is given regarding the final results obtained. The user is responsible for determining suitability and regulatory compliance.

## COMPANY INFORMATION

Brand Owner & Distributor:

MULTI-PRO DISTRIBUTORS (Pty) Ltd



Sales:

Nardus Snyman +27 (0) 83 976 0509 nardus@multi-pro-distributors.co.za

Christo Stander +27 (0) 61 248 1317 christo@multi-pro-distributors.co.za

Jaco Moolman +27 (0) 82 579 7546 jaco@multi-pro-distributors.co.za

Technical Enquiries: technical@multi-pro-distributors.co.za

Manufactured by:

ACOX TRADING (Pty) Ltd

Unit 15, 31 Rorich Avenue, Pumelani AH, Pretoria, South Africa

Reg. No.: 2023/227340/07 | VAT No.: 484 031 6097

Quinten +27 (0) 71 880 2155

factory@multi-pro-distributors.co.za

Manufactured under affiliation for MULTI-PRO DISTRIBUTORS (Pty) Ltd.

TDS-MULTI-PRO-INFINITE-RUBBER